

4006ci / 5006ci / 6006ci

Never before has it been so easy to make a perfect first impression.

Our A3 colour multifunctional systems offer reliable and excellent quality in a minimum of space: A print resolution of 1,200 x 1,200 dpi, newly developed toner and advanced colour technology provide a perfect result. In addition, the intuitive, large colour touch display is now extremely easy to operate. The HyPAS interface makes it easy to integrate additional customised software solutions*.

The systems also score highly when it comes to the environment: If required, blank pages can be automatically filtered out when scanning and copying thanks to the Skip Blank Pages function. This can result in great savings, particularly for the 270-sheet dual scan original feeder*, which features fast scanning and gentle handling of original documents. Another advantage is that you can create text-searchable PDF files* and therefore make it easier to find information in a document.

What you can expect:



Professional printing: The option to process various paper thicknesses in one go enables you to also create professional handouts and presentations. In addition, the versatile printer driver offers intuitive tools for the further optimisation of colour reproduction.



Flexible paper management: Up to 7,150 sheets* of different paper types and paper weights can be fed. The printed pages are then processed via an internal* or external finisher*, also with an optional punch unit. The brochure finisher* can also output tri-folding for letters or flyers in addition to A5 and A4 brochures. Furthermore, the multi tray* for the brochure finisher* ensures that the documents of a work group do not get mixed up. Our standard paper cassettes are also naturally equipped with our new soft close feature.



Simplest operation: The large 9-inch colour touch display with a picture diagonal of 22.86 cm makes it easier to execute the wide range of functions on offer. The home menu, which you can adapt to suit your requirements, is particularly helpful here. In addition, the optional Fiery® Controller offers top productive performance when it comes to processing and reproducing challenging colour print data.



Maximum security: The 'Private Printing' function allows a PIN code to be assigned to print jobs and ensures that print jobs can only be activated by authorised users. The Data Security Kit* encrypts your hard disk data and deletes it securely after use.



* optional

4006ci / 5006ci / 6006ci
Digital multifunctional colour system
Copy / Print / Scan / Fax
A3

4006ci / 5006ci / 6006ci

Technical Data

General

Type	Desktop
Function	Copy, print, scan, optional: fax
Print technology	Laser colour and b/w
Original format	max A3 from platen glass
Copy/print speed	4006ci: max 40 A4 pages/min and max 20 A3 pages/min in colour and b/w, 5006ci: max 50 A4 pages/min and max 25 A3 pages/min in colour and b/w, 6006ci: max 55 A4 pages/min and max 27 A3 pages/min in colour and max 60 A4 pages/min and max 30 A3 pages/min in b/w
1st page (Copy/Print)	Colour: 5.9/6.5 seconds*, b/w: 4.5/5.1 seconds* (4006ci), Colour: 4.8/5.4 seconds*, b/w: 3.7/4.3 seconds* (5006ci), Colour: 4.4/5.1 seconds*, b/w: 3.4/3.8 seconds* (6006ci)
Warm-up time	17 seconds
Copy resolution	600 x 600 dpi
Greyscales	256
Paper feed	2 x 500 sheet universal cassettes (magasin 1: A6R-A4, magasin 2: A6R-SRA3 [320 x 450 mm]), 150 sheet multi-bypass (A6R-SRA3, Banner [305 x 1,219 mm]), SRA3 and banner only for printing
Paper weights	Universal cassette 52-300 g/m ² , multi-bypass 52-300 g/m ² , duplex 64-256 g/m ²
Paper output	500 sheet A4
System memory	4 GB RAM, 8 GB SSD/320 GB HDD**
Continuous copying	1-999 copies
Zoom	25 %-400 % in steps of 1 %
Functions	Adjustable colour touch screen (9 inch), duplex, 1,000 management codes, skip blank pages etc.

Dimensions/Weight

Dimensions	790 x 602 x 665 mm (H x W x D)
Weight	approx. 92 kg

Environment

Mains voltage	220/240 V, 50/60 Hz
Power consumption	approx. 1,750 W max, approx. 730/860/960 W in operation (4006ci/5006ci/6006ci), approx. 60 W in stand-by mode, approx. 1 W in sleep mode, TEC value: 1.95/2.50/3.14 kWh/week (4006ci/5006ci/6006ci)
Safety	GS/TÜV, CE

Print system

Print resolution	Integrated within the system
Processor	A6R-SRA3
Interfaces	600 x 600 dpi, max 1,200 x 1,200 dpi
Network protocols	Freescale QorIQ T1024 (Dual Core) 1.2 GHz
Operating systems	USB 2.0, 10/100/1000BaseTX, USB host
Emulations	TCP/IP, Net BEUI
Functions	Windows XP, Vista, Windows 7/8/8.1/10, Server 2003/2008 R2/2012 R2, Novell NetWare***, Linux, Mac ex OS 10.5
Emulationen	PCL6 (5c, XL), KPDL 3 (PostScript 3 compatible), XPS, PDF, PRESCRIBE IIc
Funktionen	Colour Optimiser, USB direct printing, PDF/XPS direct printing, printing of e-mails, private printing, barcode printing, Mobile Print (Android/iOS)/Apple AirPrint, Google Cloud Print

Scan system

Scan type	CCD colour and b/w
Scan format	max A3
Scan speed	max 100 (simplex) or 180 (duplex) A4 originals/min in colour and b/w with DP-7110 (300 dpi)
Scan resolution	200 dpi, 300 dpi, 400 dpi, 600 dpi
Scan mode	Photo, text, photo/text, suitable for OCR
File types	TIFF, PDF, PDF/A, high compression PDF, encrypted PDF, JPEG, XPS, Open XPS
Interfaces	10/100/1000BaseTX
Network protocol	TCP/IP
Operating systems	Windows XP, Vista, Windows 7/8/8.1/10, Server 2003/2008 R2/2012
Functions	Scan to SMB, scan to e-mail, scan to FTP, scan to USB, TWAIN scan, WIA scan, SMTP authentication, LDAP

Fax system 12

Compatibility	Super G3
Original format	max A3
Modem speed	33.6 kbps
Transmission speed	3 seconds or less using JBIG
Compression method	JBIG, MMR, MR, MH
Fax resolution	Standard (200 x 100 dpi), fine (200 x 200 dpi), super fine (200 x 400 dpi), ultra fine (400 x 400 dpi), 600 x 600 dpi
Fax memory	170 MB

Fax system 12

Abbreviated dial	2,000 numbers
One touch dial	1,000 numbers
Group dial	500 numbers
Operating systems	Windows XP, Vista, Windows 7/8/8.1/10, Server 2003/2008 R2/2012 R2
Functions	Network fax driver, automatic redialling, delayed transmission, max 2 fax kits for parallel transmission and reception

Options

Original feeder	DP-7100 document processor with automatic reverse function (A6R-A3, capacity: 140 sheet A4, paper weight 35-160 g/m ²), DP-7110 document processor with simultaneous duplex scanning (A6R-A3, capacity: 270 sheet A4, paper weight 35-220 g/m ²)
Platen cover	Platen cover type E (if document processor is not installed)
Finisher	DF-7100 internal finisher (capacity: 500 sheet A4, stapling max 30 sheet A4), DF-7120 (capacity: 1,000 sheet A4, stapling max 50 sheet A4), DF-7110 (capacity: 4,000 sheet A4, stapling max 65 sheet A4), PH-7120 hole punch unit for DF-7100, PH-7C hole punch unit for DF-7120/7110, BF-730 brochure module for DF-7110 (max 16 sheet saddle stitching and folding A4/A3, tri-folding max 5 sheet A4), MT-730 (B) multi tray for DF-7110
Job Separator	JS-7100: 100 sheet
Paper feed	PF-7100 (2 x 500 sheet universal cassettes [A5R-SRA3]), PF-7110 (2 x 1,500 sheet large capacity cassette [A4]), PF-7120 (3,000 sheet large capacity tray [A4], side deck)
Other options	Scan extension kit (A), Data security kit (E), Internet fax kit (A), Card authentication kit (B), Keyboard holder 10, Banner guide 10, UG-33 ThinPrint® kit, UG-34 Emulation option kit, IB-50 Gigabit Ethernet card, IB-51 WLAN card, IB-35 WLAN card, DT-730 (B) Document tray, NK-7100 Numeric Keyboard (10 keys), cabinet no. 76, Fiery® Controller (Printing System 15)

*Depending on operating status.

For copy, print, scan, fax *optional

Specifications subject to change without notice.

Image shows machine with optional accessories.

The 4006ci, 5006ci and the 6006ci are manufactured in accordance with the requirements of the Energy Star Program.

TA Triumph-Adler is the document business expert. We offer our clients individual analysis, consultancy and efficient document workflows - not only on paper, but also electronically and with long-term service. For whenever professional users manage, print, photocopy, fax, present or archive documents, or need to optimise processes, TA Triumph-Adler concepts and solutions are the first choice. Our customers benefit greatly from the user-optimised technologies offered by our innovative systems. TA Triumph-Adler and the TA Triumph-Adler logo are registered trademarks of TA Triumph-Adler GmbH. All other brand names are the registered trademarks of their respective owners.

www.triumph-adler.com



TA Triumph-Adler

